

## ECS Configuration Change Request

Page 1 of

Page(s)

<b>1. Originator</b> Maryellen Corbett	<b>2. Log Date:</b> 3/5/02	<b>3. CCR #:</b> 02-0184	<b>4. Rev:</b> —	<b>5. Tel:</b> 0703	<b>6. Rm #:</b> 2072C	<b>7. Dept.</b> SE
<b>8. CCR Title:</b> Removal of DBA PC & Software						
<b>9. Originator Signature/Date</b> Maryellen Corbett /s/ 4/02/02			<b>10. Class</b> II	<b>11. Type:</b> CCR	<b>12. Need Date:</b>	
<b>13. Office Manager Signature/Date</b> Carolyn Whitaker /s/ 4/02/02			<b>14. Category of Change:</b> Initial ECS Baseline Doc.		<b>15. Priority:</b> (If "Emergency" fill in Block 27). Routine	
<b>16. Documentation/Drawings Impacted:</b> 920-TDG-002,920-TDN-002,920-TDE-002,920-TDP-002,920-TDE-002,920-TDV-002,910-TDA-003,910-TDA-0023,910-TDA-			<b>17. Schedule Impact:</b>		<b>18. CI(s) Affected:</b>	
<b>19. Release Affected by this Change:</b> N/A		<b>20. Date due to Customer:</b>		<b>21. Estimated Cost:</b> None - Under 100K		
<b>22. Source Reference:</b> <input type="checkbox"/> NCR (attach) <input type="checkbox"/> Action Item <input type="checkbox"/> Tech Ref. <input type="checkbox"/> GSFC <input type="checkbox"/> Other:						
<b>23. Problem: (use additional Sheets if necessary)</b> The DBA PCs are currently not in use at the DAACs. The software on these machines for which there are requirements (Microsoft Office and Sybase Central) are used on M&O machines. Microsoft Office is installed and used through the M&O environment. Sybase Central is installed and utilized on the M&O PCs of the DBAs. The software is not utilized from the DBA PC. The PC hardware is very old and may not be able to be upgraded to the most current Windows OS levels.						
<b>24. Proposed Solution: (use additional sheets if necessary)</b> Remove the DBA PC. The software for which there are still requirements (Microsoft Office and Sybase Central) will remain on the baseline with a comment on the COTS Version Report that the software is utilized on M&O hosts only. The Architect's Office has reviewed this migration and identified no issues.						
<b>25. Alternate Solution: (use additional sheets if necessary)</b> Continue baselining and upgrading hosts that are never used.						
<b>26. Consequences if Change(s) are not approved: (use additional sheets if necessary)</b> Upgrade of Windows 95 required.						
<b>27. Justification for Emergency (If Block 15 is "Emergency"):</b>						
<b>28. Site(s) Affected:</b> <input type="checkbox"/> EDF <input checked="" type="checkbox"/> PVC <input checked="" type="checkbox"/> VATC <input checked="" type="checkbox"/> EDC <input checked="" type="checkbox"/> GSFC <input checked="" type="checkbox"/> LaRC <input checked="" type="checkbox"/> NSIDC <input checked="" type="checkbox"/> SMC <input type="checkbox"/> AK <input type="checkbox"/> JPL <input type="checkbox"/> EOC <input type="checkbox"/> IDG Test Cell <input type="checkbox"/> Other						
<b>29. Board Comments:</b>				<b>30. Work Assigned To:</b>	<b>31. CCR Closed Date:</b>	
<b>32. EDF/SCDV CCB Chair (Sign/Date):</b> Byron V. Peters /s/ 4/3/02		<b>Disposition:</b> <span style="border: 1px solid red; padding: 2px;">Approved</span> App/Com. Disapproved Withdraw Fwd/ESDIS ERB Fwd/ECS				
<b>33. M&amp;O CCB Chair (Sign/Date):</b> G. G. Gavigan, Jr. /s/ 4/3/02		<b>Disposition:</b> <span style="border: 1px solid red; padding: 2px;">Approved</span> App/Com. Disapproved Withdraw Fwd/ESDIS ERB Fwd/ECS				
<b>34. ECS CCB Chair (Sign/Date):</b>		<b>Disposition:</b> Approved App/Com. Disapproved Withdraw Fwd/ESDIS ERB Fwd/ESDIS				